





THREE TRACK SIDE&TOP (20mm)



Section No.	A	B	T	Weight in Kg. / 12 ft.
3255	92.00	30.00	1.10	3.100-3.500
3255 A	92.00	30.00	1.25	3.500-4.000
3255 B	92.00	30.00	1.40	4.000-4.500


THREE TRACK BOTTOM (20mm)



Section No.	A	B	T	Weight in Kg. / 12 ft.
3258	92.00	30.00	1.0	3.200-3.500
3258-A	92.00	30.00	1.20	3.500-4.000
3258-B	92.00	30.00	1.35	4.000-4.500




THREE TRACK GUTTER BOTTOM (20mm)



Section No.	A	B	T	Weight in Kg. / 12 ft.
3259	92.00	45.50	1.20	4.800-5.500
3259-A	92.00	45.50	1.50	5.500-6.500


FOUR TRACK GUTTER BOTTOM (20mm)



Section No.	A	B	T	Weight in Kg. / 12 ft.
3260	123.00	45.50	1.30	6.500-7.000




FOUR TRACK SIDE & TOP (20mm)



Section No.	A	B	T	Weight in Kg. / 12 ft.
3262	123.00	29.50	1.20	4.700-5.500
3263	123.00	29.50	1.40	5.500-6.000

FOUR TRACK BOTTOM (20mm)



Section No.	A	B	T	Weight in Kg. / 12 ft.
3265	123.00	29.50	1.20	5.500-6.000
3266	123.00	29.50	1.40	6.000-6.500